

Building product declaration

according to BPD associations' standardised format eBVD

2024-07-04 09:07:48

Pressure boxes 7 - JB, NB

1. COMPANY INFORMATION

Lindab Sverige AB

Company name:	Organisation number:			
Lindab Sverige AB	556247-2273			
Address:	Contact person:			
Dolkvägen 16	Matilda Isaksson			
E-mail:	Telephone:			
matilda.isaksson@lindab.com	+46 72 353 44 61			
VAT number:	Website:			
	www.lindab.com			
GLN:	DUNS:			
7300009-00795-0				
Company was last saved				
2022-04-22 09:15:47				
Company's certification				
ISO 9001 ISO 14001				
Other:				
Policies and guidelines				
The company has a code of conduct/policy/guidelines for dealing with the requirements	social responsibility in the supplier chain, including procedures for ensuring			
This is third-party audited				
If yes, which if the following guidelines have you affiliated to or management	system you have implemented			
UN guiding principles for companies and human rights				
ILO's eight core conventions				
OECD Guidelines for Multinational Enterprises				
✓ UN Global Compact				
ISO 26000				
Other policy guidelines				

Management system

If you have a management system for corporate social responsibility, what out of the following is included in the work?

Mapping

Risk analysis

Action plan

✓ Monitoring

Sustainability reporting guidelines:

GRI (Global Reporting Initiative), GHG (Green House Gas Protocol)

2. ARTICLE INFORMATION

Document data

 Id:
 Version:

 A-730000-90079-5-1
 3

 Created:
 Last saved:

 2024-07-04 09:01:01
 2024-07-04 09:07:48

 Changes relates to:
 Changes relates to:

Pressure boxes 7 - JB, NB

Article name:

Update GTIN

Pressure boxes 7 - JB, NB

Article No/ID concept

Article identity: GTIN

7319661634114, 7319661634121, 7319661716360, 7319661716384, 7319662341431, 7319662499385, 7319662499491, 7319662499576

Product group/Product group classification

Product group system	Product group id
BK04	21004
BK04	21098
BSAB96	QM

Article description:

Plenum box in galvanized steel, with internal thermal insulation, and safe connection.

Assessments at Byggvarubedömningen etc. are registered under the name "Tryckfördelningslådor 7". It is also possible to use the article name as search criteria.

Declarations of performance:

Not applicable

Declaration of performance number:

Other information:

References

Reference

Widman J "Stålet och miljön". Stålbyggnadsinstitutet-Jernkontoret, Stockholm (2001)

Carbon Footprint study for Lindab produkts performed by WSP 2010

The International Aluminium Institute (IAI), Sustainability, http://www.world-aluminium.org, 2017-02

The International Stainless Steel Forum (ISSF), http://www.worldstainless.org/, 2017-02

Jernkontoret, Hälsoaspekter, http://www.jernkontoret.se/, 2017-02

3. CHEMICAL CONTENT

Chemical content

Does the declaration apply to a product or chemical product?

product

Enter chemical content for the whole article. The concentration is calculated at component level according to the principle of "once an article always an article".

Is there a safety data sheet for the article?

Not applicable

Is there classification of the article?

Not applicable

If yes, indicate the classification of the product under Regulation (EC) No

Enter which version of the candidate list has been used (Year, month, day)

2024-01-23

The article is covered by the RoHS Directive:

Enter the weight of the article:

No

Enter how large a proportion of the material content has been declared [%]:

100

If 100% material content is not declared, please state the reason

If the article contains nanomaterials deliberately added to obtain a particular function, enter these here:

The product does not contain deliberately added nanomaterial

Has the presence of nanomaterials deliberately added to notifiable chemical products been reported to the Product Register

Enter the proportion of volatile organic substances [g/litre], applies only to sealants, paints, varnishes and adhesives:

Article and/or sub-components

Phase	Delivery		
Component	Body, sides, connection, damper body, mount plates	Weight% of product	=95.8

Comment

Material	Substance	Concentration interval (%)	EG/CAS/Alternative designation	Other substance properties
	Galvanized steel	=100	EN 10346:2015	

Component	Hose	Weight% of =0.4 product

Comment

Material	Substance	Concentration interval (%)	EG/CAS/Alternative designation	Other substance properties
	Plasticizer	=20	6422-86-2	
	PVC	=80	9002-86-2	

Component	Insulation		Weight% of product	=1.2
Comment				
Material	Substance	Concentration interval (%)	EG/CAS/Alternative designation	Other substance properties
	Polyethylene	=100	9002-88-4	
Component	Plastic		Weight% of product	<0.1
Comment				
Material	Substance	Concentration interval (%)	EG/CAS/Alternative designation	Other substance properties
	Nylon	=100	32131-17-2	ргорегиез
Component	Rivets and alu guide		Weight% of product	=0.4
Comment			p. oddot	
	Outrates	Concentration	EG/CAS/Alternative	Other substance
Material	Substance	interval (%)	designation	properties
	Aluminium	=100	Alu 6061	
-			\A/a:n\a40/ a#	
Component	Safe sealing strip		Weight% of product	=0.3
Comment				
Material	Substance	Concentration interval (%)	EG/CAS/Alternative designation	Other substance properties
Rubber		=100		
Rubber	EPDM	=80	25034-71-3	
Rubber	Parafin oil	=20	8012-95-1	
		Comment: Health test	acrformed without remarks	
		Comment: Health test p	performed without remarks.	
Component	Spring	Comment: Health test p	weight% of product	=0.7
Component Comment	Spring	Comment: Health test p	Weight% of	=0.7
	Spring Substance	Concentration interval (%)	Weight% of	=0.7 Other substance properties
Comment		Concentration	Weight% of product EG/CAS/Alternative	Other substance
Comment Material	Substance Stainless steel	Concentration interval (%)	Weight% of product EG/CAS/Alternative designation AISI 316	Other substance properties
Comment	Substance	Concentration interval (%)	Weight% of product EG/CAS/Alternative designation	Other substance
Comment Material	Substance Stainless steel	Concentration interval (%)	Weight% of product EG/CAS/Alternative designation AISI 316 Weight% of	Other substance properties
Comment Material Component	Substance Stainless steel	Concentration interval (%) =100	Weight% of product EG/CAS/Alternative designation AISI 316 Weight% of product EG/CAS/Alternative	Other substance properties =0.2 Other substance
Comment Component Comment	Substance Stainless steel Steel band	Concentration interval (%) =100	Weight% of product EG/CAS/Alternative designation AISI 316 Weight% of product	Other substance properties
Comment Component Comment	Substance Stainless steel Steel band Substance	Concentration interval (%) =100 Concentration interval (%)	Weight% of product EG/CAS/Alternative designation AISI 316 Weight% of product EG/CAS/Alternative designation	Other substance properties =0.2 Other substance

Material	Substance	Concentration interval (%)	EG/CAS/Alternative designation	Other substance properties
Foam		=100		
Foam	PUR foam	=100	9009-54-5	
Glue		<0.1		
Glue	Paper	=33.3	-	
Glue	Polyester fiber	=33.3	80595-68-2	
Glue	Polyethene	=33.3	9002-88-4	

Other information:

4. RAW MATERIALS

Is there supporting documentation for the raw materials for third-party certified system for control of origin, raw material extraction, manufacturing or recycling processes or similar (for example BES 6001:2008, EMS certificate, USGBC Program)? If yes, enter system(s):

No

Raw materials

Total recycled material in the article



Is recycled material included in the article?

Material

Aluminium

Share of waste (from own production)

Share of waste (from other people's production)

61 0

Recycled material (treated) Recycled material

39

Weight/percent by weight

57,9 %

Comment

The amount of recycled aluminium varies depending on availability. Hence it can vary between 0 and 100%. All collected aluminium are being reused.

Material

Steel

Share of waste (from own production)

Share of waste (from other people's production)

Recycled material (treated) Recycled material

100 0

Weight/percent by weight

20 %

Comment

About 20% recycled material are being used in the production of steel.

Which version of CITES has been used for the check?

The timber has been logged legally and there is certification for this

Enter logging country for the wood raw material and that following criteria have been met. Country of logging:

Does not contain type of wood or origin in CITES appendix of endangered species

5. ENVIRONMENTAL IMPACT

Environmental impact during life cycle of the article, production phase module A1-A3 under EN

Has environmental product declaration been drawn up according to EN 15804 or ISO 14025 for the article?			
These product-specific rules, known as PCR, have been applied:	Registration number / ID number for EPD:		

If there is environmental product declaration or other life cycle assessment, describe how the environmental impact of the article is taken into account from a life cycle perspective:

Country of final manufacture: Czech Republic

Transport: <99% truck, deliveries to the customer/branch, <1% electric forklift. Climate impact from internal tranports: CO2 0,0025 kg, CH4 <0,0001 kg and N20 <0,0001 kg

Residual products from the manufacture of the product: <1% steel scrap, 100% is recycled, waste code 17 04 05. All waste is taken care of by a carrier with the necessary permits. No waste is exported.

For information about raw materials, distribution, waste etc., see the other sections.

6. DISTRIBUTION

Distribution of finished article

Does the supplier apply any system with multiple-use packaging for the article?

No

Does the supplier take back packaging for the article?

No

Is the supplier affiliated to a system for product responsibility for packaging?

Yes

If yes, which packaging and which system?

Förpacknings & Tidningsinsamlingen

Can packaging/packaging be reused?

Not applicable

Can packaging/packaging be recycled?

Not applicable

Can packaging/packaging be energy recycled?

Not applicable

Does the supplier use Retursystem Byggpall?

Yes

Other information:

If possible products are packed together. The packaging materials include wood, cardboard, and plastic wrap. Wooden pallets are being reused. All packaging consists of recyclable material, the cardboard Lindab uses for packaging consist of 97,5% recycled material. Shipments of manufactured goods are mainly transported by truck to the customer/branch. The average transporting distance is <500 km.

7. CONSTRUCTION PHASE

Construction phase

8.

Does the article make special requirements in storage?
Yes
Specify
To prevent soiling and oxidation, the product should be stored protected from the weather. See Lindab's product catalogue for more information.
Does the article make special requirements for surrounding building products?
No
Specify
Other information:
USE PHASE
Use phase
Does the article make requirements for input materials for operation and maintenance?
No
Specify:
Does the article require supply of energy during operation?
No
Specify:
Estimated technical service life for the article:
>50 years
Comment:
Lifetime depends on the environment where the product is being used. Corrosive environments can affect the life of the product negatively. There is a special instruction for the care of this product, see Lindab's product catalogue for more information. The product can be adapted to work with new tech.
Is there energy labelling under the Energy Labelling Directive (2010/30/EU) for the article?
Not applicable
If yes, enter labelling (G to A, A+, A++, A+++):
If yes, enter marking (G to A)
Other information:

9. DEMOLITION

Demolition

Y	'es
С	can the product be separated into pure material types for recycling?
Ν	lot applicable
S	Specify:
T	he parts can easily be separated.
D ei	loes the article require special measures for protection of health and nvironment in demolition/disassembly?
Ν	lo
S	pecify:
).	WASTE MANAGEMENT Delivered article
Is	s the supplied article covered by the Ordinance (2014:1075) on producer responsibility for electrical and electronic products when it becomes was
Ν	lo
	s reuse possible for the whole or parts of the article when it becomes waste?
Is	
ls Y	s reuse possible for the whole or parts of the article when it becomes waste?
Is Y	s reuse possible for the whole or parts of the article when it becomes waste?
Is Y	s reuse possible for the whole or parts of the article when it becomes waste? Ges Specify:
Is Y	s reuse possible for the whole or parts of the article when it becomes waste? (es specify: (he entire product can be reused.
Is Y' S TI Is	s reuse possible for the whole or parts of the article when it becomes waste? Yes Specify: The entire product can be reused. So material recovery possible for the whole or parts of the article when it becomes waste?
Is Y'S TI Is	reuse possible for the whole or parts of the article when it becomes waste? The entire product can be reused. The anterial recovery possible for the whole or parts of the article when it becomes waste? The entire product can be reused.
Is Y S TI Is	sereuse possible for the whole or parts of the article when it becomes waste? Ges Specify: The entire product can be reused. Se material recovery possible for the whole or parts of the article when it becomes waste? Ges Specify:
Is Y'S TI Is Y'S	reuse possible for the whole or parts of the article when it becomes waste? res ripecify: riche entire product can be reused. s material recovery possible for the whole or parts of the article when it becomes waste? res ripecify: riche entire product can be reused. s material recovery possible for the whole or parts of the article when it becomes waste? riche entire product can be recycled.
Is Y'S TI Is Y'S	s reuse possible for the whole or parts of the article when it becomes waste? The entire product can be reused. The entire product can be reused. The article when it becomes waste? The entire product can be reused. The en
Is Y S TI Is Y S S S S S	sereuse possible for the whole or parts of the article when it becomes waste? The entire product can be reused. The entire product can be reused. The article when it becomes waste? The entire product can be reused. The en
Is Y S TI Is Y S Is H	s reuse possible for the whole or parts of the article when it becomes waste? The entire product can be reused. It is material recovery possible for the whole or parts of the article when it becomes waste? The entire product can be reused. The entire produc
IS Y S TI IS Y S H D	s reuse possible for the whole or parts of the article when it becomes waste? The entire product can be reused. The entire product can be reused. The article when it becomes waste? The entire product can be reused. The article when it becomes waste? The entire product can be reused. The article when it becomes waste?
Is Y S TI Is Y S Is Y O T I T I T T T T T T T T T T T T T T T	s reuse possible for the whole or parts of the article when it becomes waste? The entire product can be reused. The ent
IS Y S TI IS Y S A IS Y S H D Y S	reuse possible for the whole or parts of the article when it becomes waste? res specify: the entire product can be reused. smaterial recovery possible for the whole or parts of the article when it becomes waste? res specify: 99% of the material can be recycled. se energy recovery possible for the whole or parts of the article when it becomes waste? res specify: se energy recovery possible for the whole or parts of the article when it becomes waste? res specify: leat recovery occurs at smelter. rese the supplier have restrictions and recommendation for re-use, material or energy recovery or landfilling?

	When the supplied article becomes waste, is it classified as hazardous waste?				
	No				
	Mounted article				
	Is the mounted article classified as hazardous was	ste?			
	No				
	Other information				
11	. INDOOR ENVIRONN Indoor environment	IENT			
	The article is not intended for indoor use				
	The article does not emit any substances				
	Emissions from the article not measured				
	Does the article have a critical moisture state?				
	No .				
	If yes, state what:				
	Noise	Electrical field	Magnetic fields		
	Can the article give rise to own noise?	Can the article give rise to electrical fields?	Can the article give rise to magnetic fields?		
	No	No	No		
	Value:	Value:	Value:		
	Unit:	Unit:	Unit:		
	Measuring method:	Measuring method:	Measuring method:		
	Paints and varnishes				
	The article is resistant to fungi and algae in	use in wet areas			
	Emissions				
	The article produces the following emissions in intended use:				

170405 - 05 Järn och stål.

Other information